



the easy solution for Smart Metering

A large, stylized, light gray letter 'S' with a white outline, positioned on the left side of the slide.

sinapsi
i n v e n t t o d a y

www.sinapsitech.it

EQUOBOX

APPLICATIONS

EQUOBOX is an extremely flexible tool that supports the user in various fields of application:

RESIDENTIAL



COMMERCIAL




INDUSTRIAL




RESIDENTIAL

HORIZONTAL DISTRIBUTION – LOCAL READING




RESIDENTIAL

HORIZONTAL DISTRIBUTION – REMOTE READING



RESIDENTIAL


HORIZONTAL DISTRIBUTION – REMOTE READING



RESIDENTIAL

VERTICAL DISTRIBUTION – REMOTE READING


Floors of a building



SIN.EQRPT868XT
Multi-Hop Wireless M-Bus
Power supply 230V AC
Support MAX 500 devices



ETH




- 24V DC power supply
- Support 500 devices including MAX 250 wired (via SIN.EQLC1)
- Required at least one SIN.EQRPT868XT for wireless meters acquisition
- Supports up to 33 HOPS
- 20 M-Bus meters via integrated port

Thermal power station


M-Bus

RESIDENTIAL


VERTICAL DISTRIBUTION – REMOTE READING



COMMERCIAL CONSUMPTION METERING & SENSORS MONITORING



INDUSTRIAL CONSUMPTION METERING & APPLICATION SPECIFIC RESOURCES



- 24V DC power supply
- Support 500 devices including MAX 250 wired (via SIN.EQLC1)
- Required at least one SIN.EQRPT868XT for wireless meters acquisition
- Supports up to 33 HOPs
- 20 M-Bus meters via integrated port

Thank you for your attention



Via delle Querce 11/13 - 06083 **Bastia Umbra** (PG) Italy
T. +39 **075 8011604** - F. +39 **075 8014602**
www.sinapsitech.it | info@sinapsitech.it

